

Product	Item Description	MRP
PID TEMPERATURE CONTROLLER		
PID500-0-0-00	PID controller 2 output Relay or SSR	3400
PID500-0-0-03	PID controller 2 output Relay or SSR + Communication	4120
PID500-0-0-01	PID controller 3 output Relay or SSR	3634
PID500-0-0-04	PID controller 3 output Relay or SSR + Communication	4464
PID500-2-0-00	PID controller 4-20mA or 0-10V output+ 1Alarm	3634
PID500-2-0-03	PID controller 4-20mA or 0-10V output+ 1Alarm + Communication	4326
PID500-2-0-01	PID controller 4-20mA or 0-10V output+ 2Alarm	4727
PID500-2-0-04	PID controller 4-20mA or 0-10V output+ 2Alarm + Communication	4669
PID500	PID controller CT or Remote set point or Motorized input + 2 outputs	4120
PID500	PID controller CT + 1 output + 2 alarms	4463
PID500	PID controller CT or Remote set point or Motorized input + Communication	6077
PID110 / 330	PID controller 2 output Relay or SSR	3548
PID110 / 330	PID controller 3 output Relay or SSR	3536
PID110 / 330	PID controller 4-20mA or 0-10V output+ 1Alarm	3882
PID110 / 330	PID controller 4-20mA or 0-10V output+ 2Alarm	4077
PID110 / 330	PID controller with 2 O/P relay or SSR + communication	4120
PID110 / 330	PID controller with 2 O/P relay or SSR + communication	4120
PID110 / 330	PID controller with 3 O/P relay or SSR + communication	4464
PID110 / 330	PID controller 4-20mA or 0-10V output+ 1Alarm + communication	4326
PID110 / 330	PID controller 4-20mA or 0-10V output+ 2Alarm + communication	4669
PID528-1 / PID528-2	PID controller 2 output Relay or SSR	2814
PID528-1-24	PID controller 2 output Relay or SSR in 24 VOLT	3341
PR502-0-0-0	Profile controller 2 output Relay or SSR	5178
PR502-0-0-1	Profile controller 2 output Relay or SSR + Communication	6179
PR502-2-0-0	Profile controller 4-20mA or 0-10V output+ 1Alarm	4909
PR502-2-0-1	Profile controller 4-20mA or 0-10V output+ 1Alarm + Communication	6524
SELVIEW	Front-end software of PID500 / PR502/PIC1000N communication type	10986
Note : In all 24V PID500 models - Price will be Standard Discount Price + 250 Extra		
TEMPERATURE CONTROLLER		
TC518 / TC518-SSR	Temperature Controller with 1 O/P Relay	2267
TC518-24 / TC518-SSR-24	Temperature Controller with 1 O/P Relay in 24V	2794
TC513AX	Temperature Controller with 1 O/P Relay / SSR with NC Contact	1524
TC513AX-24V	Temperature Controller with 1 O/P Relay / SSR with NC Contact in 24v	2052
TC533AX	Temperature Controller with 1 O/P Relay / SSR with NC contact	1766
TC544A	Temperature Controller with 2 O/P Relay / SSR + Relay, with NC contact	2110
TC544A-1	Temperature Controller with 2 O/P Relay / SSR + SSR, with NC contact	2110
TC544A-24V	Temperature Controller with 2 O/P Relay / SSR + Relay, with NC contact in 24v	2638
TC544A-1-24V	Temperature Controller with 2 O/P Relay / SSR + SSR, with NC contact in 24 volt	2638
TC221A	Temperature Controller with 1 O/P Relay / SSR	1514
TC203AX	Temperature Controller with 1 O/P Relay / SSR with NC Contact	1641
TC244AX	Temperature Controller with 2 O/P Relay / SSR + Relay, with NC contact	2286
TC244AX-1	Temperature Controller with 2 O/P Relay / SSR + SSR, with NC contact	2286
TC244AX-24V	Temperature Controller with 2 O/P Relay / SSR + Relay, with NC contact in 24v	2811
TC244AX-1-24V	Temperature Controller with 2 O/P Relay / SSR + SSR, with NC contact in 24 volt	2811
TC303A	Temperature Controller with 1 O/P Relay / SSR	1484
TC303AX	Temperature Controller with 1 O/P Relay / SSR with NC Contact	1641
TC344AX	Temperature Controller with 2 O/P Relay / SSR + Relay, with NC contact	2403
TC344AX-1	Temperature Controller with 2 O/P Relay / SSR + SSR, with NC contact	2403
TC344AX-24	Temperature Controller with 2 O/P Relay / SSR + Relay, with NC contact in 24v	2931
TC344AX-1-24	Temperature Controller with 2 O/P Relay / SSR + SSR, with NC contact in 24 volt	2931
DIGITAL TEMPERATURE CONTROLLER		
DTC204A-2	Temperature Controllers with 2 output. Supply voltage - 85 to 270V AC/DC	1956
DTC324A-2	Temperature Controllers with 2 output. Supply voltage - 85 to 270V AC/DC	1956
CH403-1-NTC	Chiller controller 10A Relay + SSR	1084
CH403-2-NTC	Chiller controller 20A Relay	1187
CH403-3-NTC	Chiller controller 10A Relay + 5A Relay	1187
CH403-1-24	Chiller controller 10A Relay + SSR in 24 V	1662
CH403-2-24	Chiller controller 20A Relay in 24V	1662
TC52-400-J-230	Blind Temperature controller up to 400 degree	921

Terms conditions:

Prices are Ex-works excise duty,

Sales tax and local levies are extra.

Freight Insurance:



Product	Item Description	MRP
PROCESS INDICATORS		
PIC1000N-A	Process Indicator with 4 Alarms Relay output)	4892
PIC1000N-D-2	Process Indicator with 4 Alarms Retransmission Output)	5242
PIC1000N-D-3	Process Indicator with 4 Alarms Retransmission Output)	5242
PIC1000-N-D-4	Process Indicator with 4 Alarms Retransmission Output)	5242
PIC1000N-E	Process Indicator with 4 Alarms with communication Retransmission O/P)	6988
PIC1000N-E-2	Process Indicator with 4 Alarms with communication Retransmission O/P)	6988
PIC152-N-A	Process Indicator with 2 Alarms Relay Output)	3400
PIC152N-A-24	Process Indicator with 2 Alarms Relay Output) IN 24V	3927
PIC152N-B-1 /2/3/4	Process Indicator with 2 Alarms Retransmission Output)	3634
PIC152N-B-2-24 -1/-2/-3/-4	Process Indicator with 2 Alarms Retransmission Output) in 24v	4162
PIC101-N	Process Indicator with Universal input	1727
PIC101-N-24	Process Indicator with Universal input in 24V	2254
PIC101A-T-230	Process Indicator with TC & RTD input	1298
PIC101A-VI-230	Process Indicator with Voltage & Current input	1298
DIN RAIL TIMERS (600 SERIES)		
600ST	S : Single function, T : Ten time ranges, On Delay function	704
600ST-110	S : Single function, T : Ten time ranges, On Delay function in 110 V	867
600ST-24	S : Single function, T : Ten time ranges, On Delay function in 24 V	867
600XU	Timer with 13 functions	975
600PSR -165 / 300	Phase sequence relay	1082
600PSR - 280 / 520	Phase sequence relay	758
600DT	Digital timer with 15 functions and 8 time ranges.	1299
600U-2	Timer with 5 functions and 10 time ranges	1062
600SD -2 -230	Star-Delta timer with 7 time ranges.	975
600SD- 2- 110	Star-Delta timer with 7 time ranges in 110V	1191
600VPR	Voltage Protection Relay	975
642VTR-3	Under Voltage Time Relay	1321
PANEL MOUNTED TIMER		
55ES-P8-230	Panel mounted On Delay / Interval Timer in 48 x 48mm Equivalent to 55SQ)	601
55ES-T-230	Panel mounted On Delay / Interval Timer in 48 x 48mm Equivalent to 55SQ)	601
55XC-P8	Panel mounted Cyclic Timer with unequal ON & OFF time Equivalent to 55 C)	1113
55XC-T8	Panel mounted Cyclic Timer with unequal ON & OFF time Equivalent to 55 C)	1113
55XU-T	Panel mounted On Delay / Interval Timer in 48 x 48mm Equivalent to 55 U)	1035
55XU-P	Panel mounted On Delay / Interval Timer in 48 x 48mm Equivalent to 55 U)	1035
55M(V1.1)-P8-230	Panel mounted On Delay / Interval Timer in 48 x 48mm, 12 Ranges	1004
55M(V1.1)-T8-230	Panel mounted On Delay / Interval Timer in 48 x 48mm, 12 Ranges	1004
55Q(V1.1)-P8-230	Panel mounted On Delay / Interval Timer in 48 x 48mm, 4 Ranges	762
55Q(V1.1)-T8-230	Panel mounted On Delay / Interval Timer in 48 x 48mm, 4 Ranges	762
DIN RAIL TIMER 800SERIES)		
800XA	Din Rail On Delay / Interval Timer, 8 ranges Equivalent to 800AX-2)	757
800XC	Din Rail Cyclic Timer with unequal ON & OFF time Equivalent to 800C)	1085
800POD-60S	Din Rail true power off Delay Timer	1876
800POD-180S	Din Rail true power off Delay Timer	1876
800M(V1.1)-230	Din Rail On Delay / Interval Timer, 12 Ranges	1004
800XU	Din Rail On Delay /Interval Timer, 12 Ranges, Equivalent to 800U)	985
800XMR	Din Rail forward-pause-reverse Timer	1294
800S-1-ON-60S-230	Din Rail On Delay Timer, Single Range, Single function, low cost	530
800S-1-ON-30S-230	Din Rail On Delay Timer, Single Range, Single function, low cost	530
800S-1-ON-60S-415	Din Rail On Delay Timer, Single Range, Single function, low cost	632
800S-1-ON-30S-415	Din Rail On Delay Timer, Single Range, Single function, low cost	632
800SD-2-110	Din Rail star delta Timer, 2 relay	718
800SD-2-230	Din Rail star delta Timer, 2 relay	718
800SD-2-415	Din Rail star delta Timer, 2 relay	947
800SQ-A	Din Rail On Delay / Interval Timer, 8 ranges (Equivalent to 800 SQ)	563
800SQ-A-110	Din Rail On Delay / Interval Timer in 110V	586
800PSR	Phase sequence relay with 3Φ-3 wire input	615

Terms conditions:

Prices are Ex-works excise duty,


Sales tax and local levies are extra.

Freight Insurance:

Product	Item Description	MRP
DIGITAL TIMERS		
XT242	Digital Timer, dual display, dual set point, multifunction	3865
XT246	Digital Timer, multifunction, programmable with Memory Retention 72X72mm)	1618
XT246-24V	Digital Timer, multifunction, programmable with Memory Retention 72X72mm IN 24V	2145
XT264-3	Digital Timer, push wheel setting	1899
XT346	Digital Timer, multifunction, programmable with Memory Retention 96X96mm)	1618
XT364-3	Digital Timer, push wheel setting	1970
XT5042	Digital Timer, multifunction, multi range, dual display	2846
XT520N	Digital Timer, multifunction, programmable	1854
XT532N-M1	Digital Timer, multifunction, programmable	1763
XT543-N	Digital Timer, economical, multifunction, programmable	1497
XT546	Digital Timer, multifunction, programmable with Memory Retention 48X48mm)	1618
XT546-24V	Digital Timer, multifunction, programmable with Memory Retention 48X48mm IN 24V	2145
XT56-N	Digital Timer, high accuracy, push wheel setting	2019
XT56N-24	Digital Timer, high accuracy, push wheel setting in 24V	2546
PT380	8 Channel Sequential Timer, Multifunction, Multi range, Dual display	5041
TIME MEASURING INSTRUMENTS		
LT920-C	8 digit LCD hour meter, contact input	681
LT920-V	8 digit LCD hour meter, voltage input	681
LT945-C	8 digit LCD hour meter in 48 x 48mm, contact input	681
LT945-V	8 digit LCD hour meter in 48 x 48mm, voltage input	681
TI103C	Time interval meter	3578
TT412	Digital hour meter Time Totaliser)	1682
COUNTERS		
LXC900-C	8 digit LCD pulse counter, contact input	681
LXC900-V	8 digit LCD pulse counter, voltage input	681
XC10D	6 digit pulse counter & totaliser	1660
XC1200	6 digit programmable counter, multifunction, 2 set point, quadrature input	4404
XC1200-24V	6 digit programmable counter, multifunction, 2 set point, quadrature input in 24V	4879
XC200NX	6 digit programmable counter, multifunction, 2 set point, quadrature input	5271
XC22B-4-110	4 digit preset counter	2776
XC22B-4-230	4 digit preset counter	2524
XC22B-4-AR-M1-110	4 digit preset counter with auto reset & battery back up	3055
XC22B-4-AR-M1-230	4 digit preset counter with auto reset & battery back up	2777
XC410	6 digit pulse counter & totaliser	1496
XC410-24	6 digit pulse counter & totaliser in 24 V	2024
XTC5400	4 digit programmable, multifunction, multi range timer counter	2846
XTC5400-24	4 digit programmable, multifunction, multi range timer counter IN 24V	3374
RATE INDICATORS		
RC100C	4 digit RPM indicator	1824
RC102C	4 digit RPM indicator & Totaliser	3412
RC102C-24V	4 digit RPM indicator & Totaliser in 24V	3887
RC2100	4 digit RPM indicator	1682
RC2106	4 digit RPM indicator with scalable input	2781
RC2108	4 digit RPM scalable indicator with alarm	3688
RC2108-24	4 digit RPM scalable indicator with alarm IN 24V	4163
RC5100A	4 digit RPM indicator	1462
PROTECTION RELAY		
CBCT-35	CBCT in 35mm inner diameter	848
CBCT-70	CBCT in 70mm inner diameter	973
CBCT-120	CBCT in 120mm inner diameter	1640
ELR600-230	Earth leakage relay, 30mA to 30A	2164
CPR605	Current protection relay	1894
VPR604	Voltage protection relay, 3phase 4wire	1579
VFR608	Voltage Frequency Relay with Digital display	1737
MPR601	Motor Protection Relay with Digital display, 3phase motor protection	1643

Terms conditions:

Prices are Ex-works excise duty,
Sales tax and local levies are extra.
Freight Insurance:



MRP List Version 1.1 w.e.f 01-10-11


Product	Item Description	MRP
DIGITAL PANEL METERS		
MA12	Ampere Meter, 5A AC input (48 x 96 mm Size)	718
MV15	Volt Meter, 500V AC input (48 x 96 mm Size)	677
MA302	Ampere Meter 5A AC input (96 x 96 mm Size)	741
MV305	Volt Meter 500V AC input (96 x 96 mm Size)	701
MA12-20A-AC	20 Amp – Direct Type 48 x 96 mm Size)	896
MA302-20A-AC	20 Amp – Direct Type 96 x 96 mm Size)	921
MA12-75mV-DC	Current Meter, 75mV DC input 48 X 96 mm Size)	837
MA302-75mV-DC	Current Mete, 75mV DC input 96 X 96 mm Size)	861
MA202	Panel Mounted, CT Type, 4digit LED Digital Ammeter in 72x72mm size.	742
MV205	Panel Mounted, CT Type, 3digit LED Digital Voltmeter in 72x72mm size.	701
MA201	Single phase current meter 0 - 5A AC) CT type, LCD display with analog style bargraph indication and in 72x72mm size	1082
MA501	Single phase current meter 0 - 5A AC) CT type, LCD display with analog style bargraph indication and in 48x48mm size.	973
MV207	Single phase voltmeter 50 - 480V AC) Direct type, LCD display with analog style bargraph indication and in 72x72mm size	1027
MV507	Single phase voltmeter 50 - 480V AC) Direct type, LCD display with analog style bargraph indication and in 48x48mm size.	919
MV2307	Three phase voltmeter 50 - 300V AC) Direct type with selector switch, LCD display with analog style bargraph indication and in 72x72mm size.	1244
MA2301	Three phase current meter 0 - 5A AC) CT type with selector switch, LCD display with analog style bargraph indication and in 72x72mm size.	1298
MA12-AC-2/20mA	Direct Type AC Digital Panel Milli ammeter with auto ranging feature for input range 0-1.999mA-19.99mA in 48 X 96mm size	922
MA12-AC-200/2000mA	Direct Type AC Digital Panel Milli ammeter with auto ranging feature for input range 0-199.9mA-1999mA in 48 X 96mm size	922
MA12-DC-2mA	Direct Type DC Digital Panel Milli ammeter with input range 0 – 1.999mA in 48 X 96mm size	922
MA12-DC-20mA	Direct Type DC Digital Panel Milli ammeter with input range 0 – 19.99mA in 48 X 96mm size	922
MA12-DC-200mA	Direct Type DC Digital Panel Milli ammeter with input range 0 – 199.9mA in 48 X 96mm size	922
MV15-AC-20/200V	Direct Type AC Digital Panel Millivoltmeter with auto ranging feature for input range 0-19.99V-199.9V in 48 X 96mm size	922
MV15-AC-200/2000mV	Direct Type AC Digital Panel Millivoltmeter with auto ranging feature for input range 0-199.9mV-1999mV in 48 X 96mm size	922
MF16	Frequency Meter, 40 – 100Hz 48 x 96 mm Size)	777
MF216	Panel Mounted Digital Frequency Meter in 72x72mm size	802
MF316	Frequency Meter, 40 – 100Hz 96 x 96 mm Size)	802
MP14	Power Factor Meter, 5A 240VAC 48 x 96 mm Size)	956
MP214	Panel Mounted Digital Power Factor Meter in 72x72mm size	982
MP314	Power Factor Meter, 5A 240VAC 96 x 96 mm Size)	982
Note : In all DPM 110V Products Price will be 10% higher than Special Price		
ELECTRICAL PANEL METERS		
EM306	Energy Kwh) Meter with LED display 96 X 96 mm Size)	2846
EM306-C	Energy Kwh) Meter with LED display & communication 96 X 96 mm Size)	4183
EM368	Energy Kwh) Meter with LCD display 96 X 96 mm Size)	4210
EM368-C	Energy Kwh) Meter with LCD display with Communication	6314
MFM374	Multifunction meter in LED display	4210
MFM374-C	Multifunction meter in LED display with Communication	6313
MFM383	Multifunction meter in LCD display	4525
MFM383-C	Multifunction meter in LCD display with Communication	6496
MFM384	Multifunction meter in LCD display with backlight	5957
MFM384-C	Multifunction meter in LCD display with backlight & Communication	7943
VAF36	Panel meter with LCD-back light display Volt, Amp, Frequency)	2014
VAF39	Panel meter with LED display (Volt, Amp, Frequency)	1766
ENVIEW	Front-end software of Meters for Communication Type	21843
APFC336	6 Stage APFC Relay	3585
APFC338	8 Stage APFC Relay	4302
APFC310	10 Stage APFC Relay	4780
APFC312	12 Stage APFC Relay	5259

Terms conditions:

Prices are Ex-works excise duty,

Sales tax and local levies are extra.

Freight Insurance:



Product	Item Description	MRP
ACCESSORIES		
ADAPTER PLATES (72 X 48 FG)	Adapter plate 72 x 48mm	99
ADAPTER PLATES (96 X 48 FG)	Adapter plate 96 x 48mm	99
ADAPTER PLATES (96 X 72 FG)	Adapter plate 96 x 72mm	99
ADP PLATE (48 X 96 FOR 48 X 48 FG)	Adapter plate	99
AP14496	Adapter plate for APFC	99
AP6050	Adapter plate 60 x 50mm for LCD series)	40
SNUBBER	Snubber Circuit	62
TSP04	NTC Probe Sensor	274
FI400-AG19-230	Frequency to current converter	8073

Terms conditions:

Prices are Ex-works excise duty,
Sales tax and local levies are extra.

Freight Insurance:

 Approved by / Date
Managing Director

